

(Provisional translation)

Effect on cultured fish of Fukushima Daiichi nuclear power plants accident

Results on August 30

Species	Sampling part	No. of samples	Detected radionuclides and radio density (Bq/Kg-wet)		
			I-131	Cs-134	Cs-137
Japanese amberjack – 1 (<i>Seriola quinqueradiata</i>) (Setonai-kai, Kagawa)	Muscle	3	Not Detectable	Not Detectable	Not Detectable
Japanese amberjack – 2 (<i>Seriola quinqueradiata</i>) (Kyusyu, Kagoshima)	Muscle	3	Not Detectable	Not Detectable	Not Detectable
Japanese amberjack – 3 (<i>Seriola quinqueradiata</i>) (Shikoku, Ehime)	Muscle	3	Not Detectable	Not Detectable	Not Detectable
Japanese amberjack – 4 (<i>Seriola quinqueradiata</i>) (Kyusyu, Kumamoto)	Muscle	3	Not Detectable	Not Detectable	Not Detectable
Red seabream – 1 (<i>Pagrus major</i>) (Kyusyu, Kumamoto)	Muscle	5	Not Detectable	Not Detectable	Not Detectable
Greater amberjack (<i>Seriola dumerili</i>) (Kyusyu, Kagoshima)	Muscle	3	Not Detectable	Not Detectable	Not Detectable

Inspection Institute: National Research Institute of Fisheries Science, Fisheries Research Agency